





Cabinet, one door 302 x 362 x 140 mm







FEATURES:

- high quality sheet steel
- thickness 0,7 mm
- frame built from one piece
- electrostatically primed
- rounded and streamlined
- no sharp corners or edges
- back with hanging facility
- safety cylinder lock
- each cabinet with two keys
- hinged doors
- all-round sealing
- door with hinged tray
- inner partitioning with shelves
- partly with drawers
- partly with door compartments
- coloured pictograms





Filling 13157

Content Norm pursuant to German DIN 13157

- 1 aluderm $^{\circ}$ dressing sheet 60 x 80 cm
- 1 aluderm[®] bandage packet small
- 3 aluderm® bandage packet medium
- 1 aluderm[®] bandage packet large
- 1 WS elast. bandage 4 m x 6 cm
- 1 WS elast. bandage 4 m x 8 cm
- 1 WS fixing bandage 4 m x 6 cm
- 1 WS fixing bandage 4 m x 8 cm
- 6 aluderm[®] compress, 10 x 10 cm, single pack
- 2 aluderm[®] eye compress DuOcul
- 1 set of 20 aluderm[®]-aluplast finger plasters
- 1 SÖHNGEN® Plast 5 m x 2,5 cm
- 1 aluderm[®]-aluplast elastic 8 pcs. 10 x 6 cm
- 1 SIRIUS® rescue sheet 160 x 210 cm
- 2 triangular bandage V
- 1 First-Aid scissors 19 cm
- 5 non-woven towel 20 x 30 cm
- 2 PE-bags, reclosable, 30 x 40 cm
- 1 set of 4 vinyl gloves, disposable
- 1 instant ice pack, single use, small
- 1 AirVita® BiProtect breathing device

Filling 13169

Content Industry Norm pursuant to German DIN 13169

- 1 DERMOTEKT® dressing sheet 60 x 80 cm
- 1 aluderm[®] dressing sheet 60 x 80 cm
- 1 aluderm[®] bandage packet small
- 3 aluderm[®] bandage packet medium
- 1 aluderm[®] bandage packet large
- 1 DermaCare[®] bandage packet small
- 3 DermaCare® bandage packet medium
- 1 DermaCare® bandage packet large
- 2 WS elast. bandage 4 m x 6 cm
- 2 WS elast. bandage 4 m x 8 cm
- 2 WS fixing bandage 4 m x 6 cm
- 2 WS fixing bandage 4 m x 8 cm
- 6 aluderm[®] compress, 10 x 10 cm, single pack
- 6 DermaCare® compress, 10 x 10 cm, single pack
- 4 aluderm[®] eye compress DuOcul
- 2 set of 20 aluderm[®]-aluplast finger plasters
- 2 SÖHNGEN® Plast 5 m x 2,5 cm
- 2 aluderm[®]-aluplast elastic 8 pcs. 10 x 6 cm
- 2 SIRIUS[®] rescue sheet 160 x 210 cm
- 4 triangular bandage V
- 1 First-Aid scissors 19 cm
- 10 non-woven towel 20 x 30 cm
- 4 PE-bags, reclosable, 30 x 40 cm
- 2 set of 4 vinyl gloves, disposable
- 2 instant ice pack, single use, small
- 1 AirVita® BiProtect breathing device



A glimpse on German Workplace Recommendations:

The recommended quantity of First-Aid Kits is depending on the individual working risks within the different business branches as well as on the number of employees.

Business branch	Risk	Employees		Kit	Filling pursuant to
Administration	n low 1 - 50 / 51 - 300 *	1 - 50		1	DIN 13157
Administration		1	DIN 13169		
Manufacturing	medium	1 - 20		1	DIN 13157
		21 - 100	*	1	DIN 13169
Construction	high	1 - 10		1	DIN 13157
		11 - 50	*	1	DIN 13169
*For a larger number of employees further Fist-Aid equipment is required.					



Product Overview Cases and Cabinets filled DIN 13169





First Aid

First Aid

-

+

First-Aid Case MT-CD

 $400 \times 300 \times 150$ mm, resilient ABS thermoplastic, including wall bracket with 90° lock for horizontal positioning. For detailed features please see page 4. Includes colour pictograms and First-Aid label.

MT-CD Industry Norm


Content Industry Norm pursuant to German DIN 13169

Case orange Case white	03 11 055 03 11 056
Case green	03 11 058
Case yellow	03 11 058

MT-CD - empty

Case orange	03 11 250
Case white	03 11 251
Case green	03 11 252
Case yellow	03 11 253

IT





First-Aid Cabinet ROM

 $404 \times 462 \times 170$ mm, sheet steel, two doors with three door compartments each, two shelves, two drawers. For detailed features please see page 5. Includes colour pictograms and First-Aid label.

ROM Industry Norm

Content Industry Norm pursuant to German DIN 13169	05 01 104
ROM, empty	05 02 114







First-Aid Case SN-CD

 $310 \times 210 \times 130$ mm, resilient ABS thermoplastic, including wall bracket with 90° lock for horizontal positioning. For detailed features please see page 4. Includes colour pictograms and First-Aid label.

SN-CD Norm

Content Norm pursuant to German DIN 13157

	Case orange Case white Case green Case yellow	03 11 038 03 11 039 03 11 040 03 11 041
SN-CD - empty	Case orange Case white Case green Case yellow	03 11 230 03 11 231 03 11 232 03 11 232 03 11 241



SI

SK

CZ

IT

FR

ES



First-Aid Case QUICK-CD

 $260 \times 170 \times 110$ mm, resilient ABS thermoplastic, including wall bracket with 90° lock for horizontal positioning. For detailed features please see page 4. Includes colour pictograms and First-Aid label.

QUICK-CD Norm

Content Norm pursuant to German DIN 13157

	Case orange Case white Case green Case yellow	03 11 025 03 11 026 03 11 027 03 11 028
QUICK-CD - empty	Case orange Case white	03 11 220 03 11 221
	Case green Case yellow	03 11 222 03 11 223







First-Aid Cabinet HEIDELBERG

 $302\times362\times140$ mm, sheet steel, one doors, one shelf. For detailed features please see page 5. Includes colour pictograms and First-Aid label.

HEIDELBERG Norm

Content Industry Norm pursuant to German DIN 13157	05 01 101
/ 1	

HEIDELBERG, empty

05 02 101




First-Aid Cabinet HAMBURG

 $404 \times 462 \times 170$ mm, sheet steel, two doors with three door compartments each, two shelves, two drawers. For detailed features please see page 5. Includes colour pictograms and First-Aid label.

HAMBURG Norm Content Norm pursuant to German DIN 13157	05 01 102
HAMBURG, empty	05 02 114







For more products and details please visit our website: www.soehngen.com