


KaWe PICCOLIGHT



17


Beleuchtungsart | Type of illumination

C Standardbeleuchtung
Standard illumination



- Standardbeleuchtung mit 2,5 V Vakuum-Lampe
- Standard illumination with 2.5 V vacuum lamp

F.O. Fiber Optik
Fibre optics



LED / XENON
durch einfachen Lampenwechsel
by simply changing the bulb

- hochwertige Fiber Optik
- leistungsstarke 2,5 V / 3,5 V Xenon- oder 2,5 V / 3,5 V LED-Lampe
- high-quality fibre optics
- high-power 2.5 V / 3.5 V xenon or 2.5 V / 3.5 V LED bulb



KaWe PICCOLIGHT

PRODUKTSERIE | PRODUCT LINE

KaWe PICCOLIGHT Otoskope | Oscopes

2,5 V		2,5 V	
1	C	VL	3 F.O. LED standard
2	F.O.	XL	4 F.O. LED hp

Merkmale:

- Beleuchtungsvielfalt
- Taschenformat, leicht, handlich, modernes Design
- optimale Lichtstärke (zentrisch)
- ergonomische Kopfform
- schwenkbare Lupe mit 3-facher Vergrößerung
- integrierte Clip-Abschaltung
- Anschluss für pneumatischen Test

Features:

- variety of illumination options
- pocket-size, light-weight, handy, modern design
- optimal light strength (centric)
- ergonomic head shape
- pivoting magnifying glass with 3-fold magnification
- integrated clip shutoff function
- Pneumatic test connection

night. sky. stone. – Ein neues Blickfeld

Mit den Trendfarben night, sky, stone setzen wir Akzente und prägen einen eleganten Zeitstil. Zukunftsweisende LED-Technologie rundet die KaWe PICCOLIGHT-Serie perfekt ab.

night. sky. stone. – A new focus

With the trendy new colours: night, sky and stone, we are initiating an elegant new design era. Trendsetting LED technology completes the KaWe PICCOLIGHT line perfectly.

KaWe PICCOLIGHT C

- Standardbeleuchtung
- Vakuum-Lampe
- Batterie-Griff AA
- Einweg-Ohrtrichter
10 x Ø 2,5 mm
10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Mignon (Typ AA)
- standard illumination
- vacuum bulb
- battery handle AA
- disposable ear funnels
10 x Ø 2.5 mm
10 x Ø 4.0 mm
- in pouch
- batteries: 2 Mignon (type AA)



1	C 2,5 V VL night		REF 01.13100.021
	C 2,5 V VL sky		REF 01.13100.232
	C 2,5 V VL stone		REF 01.13100.262

Leuchtmittel | illuminant REF 12.75111.013

F.O.
XENON

KaWe PICCOLIGHT F.O.

- F.O.-Beleuchtung
- hochwertige Fiber Optik
- leistungsstarke 2,5 V Xenon-Lampe
- große, freie Sicht
- Batterie-Griff AA
- Einweg-Ohrtrichter
10 x Ø 2,5 mm
10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Mignon (Typ AA)
- F.O. illumination
- high-quality fibre optics
- high-power, 2.5 V xenon lamp
- broad, unhindered line of sight
- battery handle AA
- disposable ear funnels
10 x Ø 2.5 mm
10 x Ø 4.0 mm
- in pouch
- batteries: 2 Mignon (type AA)



2	F.O. 2,5 V XL night		REF 01.13300.021
	F.O. 2,5 V XL sky		REF 01.13300.232
	F.O. 2,5 V XL stone		REF 01.13300.262

Leuchtmittel | illuminant REF 12.75144.013

Batterien sind nicht im Lieferumfang enthalten! / Batteries are not included!

VL Vakuum-Lampe / vacuum bulb
XL Xenon-Lampe / xenon bulb

KaWe PICCOLIGHT

PRODUKTSERIE | PRODUCT LINE



Die bewährten LED KaWe PICCOLIGHT F.O. Otoskope bieten Ihnen durch hochwertige Lichttechnologie die optimale Voraussetzung für eine einfache HNO-Behandlung. Das LED Leuchtmittel zeichnet sich durch eine exzellente Lichteffizienz und eine sehr hohe Lichttransmission aus. LED-Leuchtmittel überzeugen durch ihre lange Lebensdauer und Robustheit. KaWe PICCOLIGHT F.O. Otoskope mit Xenon-Beleuchtung können durch einfachen Lampenwechsel auf LED-Beleuchtung umgerüstet werden. (►190-191)

The proven LED KaWe PICCOLIGHT F.O. otoscopes provide you with optimal conditions for easy ENT treatment through high-quality light technology. The LED illuminant has an excellent light efficiency and very high light transmission. LED illuminants are sure to please with their long working lives and very robust design. The xenon illumination of KaWe PICCOLIGHT F.O. otoscopes that you already own can be converted to LED-illumination simply by replacing the bulb. (►190-191)

19



KaWe PICCOLIGHT F.O. LED

- F.O. LED-Beleuchtung
- stoßsicher und energiesparend
- Batterie-Griff AA
- Einweg-Ohrtrichter
10 x Ø 2,5 mm
10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Mignon (Typ AA) ☒
- F.O. LED illumination
- shockproof and energy-saving
- battery handle AA
- disposable ear funnels
10 x Ø 2.5 mm
10 x Ø 4.0 mm
- in pouch
- battery: 2 Mignon (type AA) ☒



3	F.O. LED 2,5 V LED night	■	REF 01.13500.021
	F.O. LED 2,5 V LED sky	■	REF 01.13500.232
	F.O. LED 2,5 V LED stone	■	REF 01.13500.262
	Leuchtmittel illuminant		REF 12.75153.003



KaWe PICCOLIGHT F.O. LED

- F.O. LED high power-Beleuchtung
- stoßsicher und energiesparend
- Batterie-Griff AA
- Einweg-Ohrtrichter
10 x Ø 2,5 mm
10 x Ø 4,0 mm
- in Tasche
- Batterien: 2 Mignon (Typ AA) ☒
- F.O. LED high power illumination
- shockproof and energy-saving
- battery handle AA
- disposable ear funnels
10 x Ø 2.5 mm
10 x Ø 4.0 mm
- in pouch
- battery: 2 Mignon (type AA) ☒



4	F.O. LED hp 2,5 V LED night	■	REF 01.13600.022
	F.O. LED hp 2,5 V LED sky	■	REF 01.13600.232
	F.O. LED hp 2,5 V LED stone	■	REF 01.13600.262
	Leuchtmittel illuminant		REF 12.75152.003

Einweg-Ohrtrichter | Disposable ear funnels



ANTHRAZIT | ANTHRACITE

Ø 2,5 mm, klein | small



- lose geschüttet
- im Karton
- VE = 1000 St.

- bulk packaged
- in a box
- PU = 1000 items



REF 01.71211.002

- lose geschüttet
- in 10 kleinen Kartonagen
- VE = 10 x 100 St.

- bulk packaged
- in 10 small boxes
- PU = 10 x 100 items



REF 01.71212.002

- gesteckt abgepackt
- VE = 10 x 100 St.

- small, plug-packed
- PU = 10 x 100 items



REF 01.71212.001

Ø 4,0 mm, groß | large



- lose geschüttet
- im Karton
- VE = 1000 St.

- bulk packaged
- in a box
- PU = 1000 items



REF 01.71221.002

- lose geschüttet
- in 10 kleinen Kartonagen
- VE = 10 x 100 St.

- bulk packaged
- in 10 small boxes
- PU = 10 x 100 items



REF 01.71222.002

- gesteckt abgepackt
- VE = 10 x 100 St.

- small, plug-packed
- PU = 10 x 100 items



REF 01.71222.001

für Otoskope | for Otoscopes REF

KaWe EUROLIGHT F.O.

01.11330.001
01.11430.101
01.11430.811
01.11530.002
01.11830.101

KaWe COMBILIGHT F.O.

01.12330.001
01.12430.101
01.12430.811
01.12530.002
01.12830.101

KaWe PICCOLIGHT

01.13100.021 01.13500.021
01.13100.232 01.13500.232
01.13100.262 01.13500.262
01.13300.021 01.13600.022
01.13300.232 01.13600.232
01.13300.262 01.13600.262

Diagnostik-Sets | diagnostic sets:

02.13004.001 02.24004.102 02.31001.232
02.15008.003 02.24005.102 02.31001.262
02.18004.002 02.25004.002 02.33001.021
02.23001.001 02.28004.002 02.33001.232
02.23004.001 02.28014.002 02.33001.262
02.23014.002 02.31001.021 02.33404.022
02.35404.232 02.35405.022 02.33405.262
02.35404.262 02.35405.232

MedCenter

01.73320.021
01.73550.021

SCHWARZ | BLACK

Ø 2,5 mm, klein | small



- lose geschüttet
- im Karton
- VE = 1000 St.

- bulk packaged
- in a box
- PU = 1000 items



REF 01.71111.002

- gesteckt abgepackt
- VE = 10 x 100 St.

- small, plug-packed
- PU = 10 x 100 items



REF 01.71112.001

für | for REF

KaWe EUROLIGHT C10
01.11110.001

KaWe EUROLIGHT C30
01.11130.001

KaWe COMBILIGHT C10
01.12110.001

Basic Sets
02.01008.002
02.01104.002
02.01000.002
02.11001.002

Diagnostik-Sets
diagnostic sets:
02.11002.001
02.11003.002

Ø 4,0 mm, groß | large



- lose geschüttet
- im Karton
- VE = 1000 St.

- bulk packaged
- in a box
- PU = 1000 items



REF 01.71121.002

- gesteckt abgepackt
- VE = 10 x 100 St.

- small, plug-packed
- PU = 10 x 100 items



REF 01.71122.001

Dauer-Ohrtrichter | Reusable ear funnels

SCHWARZ | BLACK

WIEDERVERWENDBAR | REUSABLE EAR FUNNELS

Ø 2,0 mm	Ø 2,5 mm	Ø 3,0 mm	Ø 4,0 mm	Ø 5,0 mm	SET: 2,0/2,5/3,0/4,0/5,0mm
					
VE PU = 10 St. items	VE PU = 10 St. items	VE PU = 10 St. items	VE PU = 10 St. items	VE PU = 10 St. items	VE PU = 10 St. items
REF 01.72214.001	REF 01.72212.001	REF 01.72215.001	REF 01.72213.001	REF 01.72216.001	REF 01.72210.001

21

für Otoskope | for Otoscopes REF

KaWe EUROLIGHT F.O.
 01.11330.001
 01.11430.101
 01.11430.811
 01.11530.002
 01.11830.101

KaWe COMBILIGHT F.O.
 01.12330.001
 01.12430.101
 01.12430.811
 01.12530.002
 01.12830.101

KaWe PICCOLIGHT
 01.13100.021 01.13500.021
 01.13100.232 01.13500.232
 01.13100.262 01.13500.262
 01.13300.021 01.13600.022
 01.13300.232 01.13600.232
 01.13300.262 01.13600.262

Diagnostik-Sets | diagnostic sets:
 02.13004.001 02.24004.102 02.31001.232
 02.15008.003 02.24005.102 02.31001.262
 02.18004.002 02.25004.002 02.33001.021
 02.23001.001 02.28004.002 02.33001.232
 02.23004.001 02.28014.002 02.33001.262
 02.23014.002 02.31001.021 02.33404.022
 02.35404.232 02.35405.022 02.33405.262
 02.35404.262 02.35405.232

MedCenter
 01.73320.021
 01.73550.021

WIEDERVERWENDBAR | REUSABLE EAR FUNNELS

Ø 2,5 mm	Ø 3,5 mm	Ø 4,5 mm	SET: 2,5 / 3,5 / 4,5 mm
			
VE PU = 3 St. items	VE PU = 3 St. items	VE PU = 3 St. items	VE PU = 3 St. items
REF 01.72102.001	REF 01.72103.001	REF 01.72104.001	REF 01.72101.001

für Otoskope | for Otoscopes REF

KaWe EUROLIGHT C10
 01.11110.001

KaWe EUROLIGHT C30
 01.11130.001

KaWe COMBILIGHT C10
 01.12110.001

Basic Sets:
 02.10000.002
 02.11001.002

02.01008.002
 02.01104.002

Diagnostik-Set | diagnostic set:
 02.11002.001
 02.11003.002

WIEDERVERWENDBAR | REUSABLE EAR FUNNELS

SET: 2,5 / 3,5 / 4,5 / 5,5 / 9,0 mm



VE | PU = 5 St. | items

REF 01.72106.001

für Otoskope | for Otoscopes REF

KaWe EUROLIGHT C10 + C30 + C30 OP LED
 01.11110.001, 01.11130.001, 01.11534.001

WIEDERVERWENDBAR | REUSABLE EAR FUNNELS

SET: 4,0 / 5,0 / 7,0 mm

– Veterinär-Otoskop
 – Veterinary otoscope



VE | PU = 3 St. | items

REF 01.72105.001



für Otoskope | for Otoscopes REF

KaWe EUROLIGHT VET C30
 01.11135.001

KaWe EUROLIGHT VET C30 OP
 01.11136.001

Otoskop-Köpfe | Otoscope heads

ERSATZTEILE | SPARE PARTS

KaWe EUROLIGHT

C10



für | for REF
01.11110.001
02.11002.001

2,5 V | VL

REF 01.73110.001

C30



für | for REF
01.11130.001

2,5 V | VL

REF 01.73131.001

C30 OP LED



für | for REF
01.11534.001

2,5 V | LED

REF 01.73134.501

LED
standard

VET C30



für | for REF
01.11135.001

2,5 V | VL

REF 01.73132.001

VET
für den Veterinär
für veterinarians

VET C30 OP



für | for REF
01.11136.001

2,5 V | VL

REF 01.73133.001

VET
für den Veterinär
für veterinarians

F.O.30



für | for REF
01.11330.001

2,5 V | XL

REF 01.73135.001

F.O.30 LED



für | for REF
01.11530.002

2,5 V | LED

REF 01.73135.501

F.O.
+LED
standard

F.O.30 / 3,5 V



für | for REF
01.11430.101
01.11430.811

3,5 V | XL

REF 01.73136.001

F.O.30 LED / 3,5 V



für | for REF
01.11830.101

3,5 V | LED hp

REF 01.73137.611

F.O.
+LED
high power

KaWe COMBILIGHT

C10



für | for REF
01.12110.001
02.11001.002
02.01008.002
02.01104.002

2,5 V | VL

REF 01.73210.021

F.O.30



für | for REF
01.12330.001
02.23001.001
02.23004.001

2,5 V | XL

REF 01.73230.021

F.O.30 LED



für | for REF
01.12530.002
02.25004.002

2,5 V | LED

REF 01.73230.521

F.O.
+LED
standard

F.O.30 / 3,5 V



für | for REF
01.12430.101
01.12430.811
02.24004.102
02.24005.102

3,5 V | XL

REF 01.73232.021

F.O.30 LED / 3,5 V



für | for REF
01.12830.101

3,5 V | LED hp

REF 01.73232.631

F.O.
+LED
high power